WEST Search History

DATE: Tuesday, January 21, 2003

Set Name	Query	Hit Count	Set Name
side by side			result set
	DB=USPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=ADJ		
L20	L17 and (optic$2 near2 column$2)	1	L20
L19	L17 and L12	0	L19
L18	L17 and sealable	0	L18
L17	array$2 near3 (ion adj (gun$2 or source$2))	82	L17
L16	(seal$4 near2 array$2) near3 (ion adj (gun$2 or source$2))	0	L16
L15	(sealable near2 array$2) near3 (ion adj (gun$2 or source$2))	0	L15
L14	sealable near3 ((ion adj (gun$2 or source$2)) near2 array$2)	0	L14
L13	L11 and (vacuum adj valve$2)	4	L13
L12	L11 and ((ion adj (gun or source)) and (vacuum adj valve$2))	3	L12
L11	ion adj beam$2 adj (colum$2 or array$2)	94	L11
L10	L8 not L9	14	L10
L9	L8 and L2	3	L9
L8	((FIB or (focus$4 adj ion adj beam$2)) near2 array$2) or (multi$3 near (ion adj (beam$2 or optical) adj colum$2))	17	L8
L7	L2 and (seal$5 near2 (ion adj chamber$2))	0	L7
L6	L5 and ((ion adj beam) near2 column$2)	1	L6
L5	L2 not L1	26	L5
L4	L1 not L3	5	L4
L3	L2 and L1	3	L3
L2	((ion adj gun) and (vacuum adj valve$2))	29	L2
L1	((FIB or (focus$4 adj ion aj beam$2)) near2 array$2) or (multi$3 near (ion adj (beam$2 or optical) adj colum$2))	8	L1

END OF SEARCH HISTORY

WEST

Create A Case

Select?	Database	Query	Plural	Op	Thesaurus	S Na
☑	USPT,PGPB,JPAB,EPAB,DWPI,TDBD	((FIB or (focus$4 adj ion aj beam$2)) near2 array$2) or (multi$3 near (ion adj (beam$2 or optical) adj colum$2))	YES	ADJ		L1
☑	USPT,PGPB,JPAB,EPAB,DWPI,TDBD	((ion adj gun) and (vacuum adj valve$2))	YES	ADJ		L2
☑	USPT,PGPB,JPAB,EPAB,DWPI,TDBD	L2 and L1	YES	ADJ		L3
☑	USPT,PGPB,JPAB,EPAB,DWPI,TDBD	L1 not L3	YES	ADJ		L4
☑	USPT,PGPB,JPAB,EPAB,DWPI,TDBD	L2 not L1	YES	ADJ		L5
☑	USPT,PGPB,JPAB,EPAB,DWPI,TDBD	L5 and ((ion adj beam) near2 column$2)	YES	ADJ		L6
☑	USPT,PGPB,JPAB,EPAB,DWPI,TDBD	L2 and (seal$5 near2 (ion adj chamber$2))	YES	ADJ		L7
		((FIB or (focus$4 adj ion adj beam$2))				

☑	USPT,PGPB,JPAB,EPAB,DWPI,TDBD	near2 array$2) or (multi$3 near (ion adj (beam$2 or optical) adj colum$2))	YES	ADJ		L8
☑	USPT,PGPB,JPAB,EPAB,DWPI,TDBD	L8 and L2	YES	ADJ		L9
☑	USPT,PGPB,JPAB,EPAB,DWPI,TDBD	L8 not L9	YES	ADJ		L1(
☑	USPT,PGPB,JPAB,EPAB,DWPI,TDBD	ion adj beam$2 adj (colum$2 or array$2)	YES	ADJ		L1
☑	USPT,PGPB,JPAB,EPAB,DWPI,TDBD	L11 and ((ion adj (gun or source)) and (vacuum adj valve$2))	YES	ADJ		L1:
☑	USPT,PGPB,JPAB,EPAB,DWPI,TDBD	L11 and (vacuum adj valve$2)	YES	ADJ		L1:
☑	USPT,PGPB,JPAB,EPAB,DWPI,TDBD	sealable near3 ((ion adj (gun$2 or source$2)) near2 array$2)	YES	ADJ		L1·
☑	USPT,PGPB,JPAB,EPAB,DWPI,TDBD	(sealable near2 array$2) near3 (ion adj (gun$2 or source$2))	YES	ADJ		L1:
☑	USPT,PGPB,JPAB,EPAB,DWPI,TDBD	(seal$4 near2 array$2) near3 (ion adj (gun$2 or source$2))	YES	ADJ		L1(
		array$2				

☑	USPT,PGPB,JPAB,EPAB,DWPI,TDBD	near3 (ion adj (gun$2 or source$2))	YES	ADJ		L1'
☑	USPT,PGPB,JPAB,EPAB,DWPI,TDBD	L17 and sealable	YES	ADJ		L1:
☑	USPT,PGPB,JPAB,EPAB,DWPI,TDBD	L17 and L12	YES	ADJ		L1!
☑	USPT,PGPB,JPAB,EPAB,DWPI,TDBD	L17 and (optic$2 near2 column$2)	YES	ADJ		L2(

Please enter the case name: 09781125

| Clear All | Reset | Create Case | Cancel |

| Help | Main Menu | Logout |

Rules for naming Cases

- Case names can only contain alphanumeric characters including underscore (_).
- Any other special characters or punctuation characters will be automatically removed prior to saving the case.
- All white space characters will be replaced by an underscore.